Energy performance certificate (EPC)

35-37 Queen Street NEWTON ABBOT TQ12 2AQ

Energy rating

Valid until: 23 August 2033

Certificate number: 8426-1803-8463-3154-0293

Property type

Retail/Financial and Professional Services

Total floor area


652 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's current energy rating is B.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built 7 A

If typical of the existing stock

28 B

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	13.31
Primary energy use (kWh/m2 per year)	140

Recommendation report

Guidance on improving the energy performance of this property can be found in the $\frac{\text{recommendation}}{\text{report (/energy-certificate/2948-3933-4662-9472-1112)}}$.

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name Ian Sturt
Telephone 01626365581

Email <u>ian@hi-devon.co.uk</u>

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme Elmhurst Energy Systems Ltd

Assessor's ID EES/011182
Telephone 01455 883 250

Email enquiries@elmhurstenergy.co.uk

About this assessment

Employer HI Devon

Employer address 20 St Columba Close Kingsteignton Newton Abbot

TQ12 3RL

Assessor's declaration The assessor is not related to the owner of the

property.

Date of assessment 18 August 2023 Date of certificate 24 August 2023